



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- BR51 AS4 & AS3 WALL BRACKET

PRODUCT FEATURES

- Ideal for the grilling and gratinating of a range of food types
- 1/1 gastronorm compatible for convenience in use
- Smooth action and easy-lift grill hood
- The height markings and audible timer ensures consistent results every time
- Chromed toasting rack included
- Removable fat collection tray is included to make cleaning easier
- Plug and play for an easy installation

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	472 mil
Height	500 mil
Weight	45.1 kg

SHIPPING DETAILS

Ship Width	70.3 cm
Ship Depth	70.3 cm
Ship Height	102.3 cm
Ship Weight	49.61 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	12.17	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	2800	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	2.8 kW	Energy Saving	No

ADDITIONAL SPECIFICATIONS

Broiler Base Configuration	Not Applicable	Gastronorm Capacity	1 x GN1/1
Broiler Type	Salamander	Heat Location	Top Only
Control Type	Mechanical, Rotary Control Knob	Heat Source Type	Infrared
Cooking Area Plate Depth	340 mm	Number of Heating Zones	1
Cooking Area Plate Width	532 mm	Number of Shelf Positions	not_applicable

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

