lincat

LINCAT SILVERLINK PROPANE GAS COUNTER-TOP BOILING TOP -4 BURNERS - W 600 MM - 18.0 KW

MODEL: HT6/P



Designed to blend in perfectly alongside other Silverlink 600 products, whether you're cooking in a care home, cafe, or smaller pub or restaurant, the Gas Boiling Top won't let you down. Featuring powerful gas burners with a flame failure device for added safety, the fully pressed and sealed hob tops also make the unit easy to clean and maintain.

SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- CH01 CATERFLEX HOSE 1/2" 1 METRE
- CN6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
- SLS6 Lincat Silverlink 600 Free-standing Floor Stand for units W 600 mm

PRODUCT FEATURES

- Powerful gas burners with flame failure device for added safety
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots

AIA FILE NUMBER:







LINCAT SILVERLINK PROPANE GAS COUNTER-TOP BOILING TOP -4 BURNERS - W 600 MM - 18.0 KW

MODEL: HT6/P

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	626 mil
Height	306 mil
Weight	21.5 kg

SHIPPING DETAILS	
Ship Width	70 cm
Ship Depth	70 cm
Ship Height	49.5 cm
Ship Weight	23.65 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Gas
Kilowatts	18 kW
Electrical Connection Type	Not Applicable
Electrical Plug Type	Not Applicable
Number of Electrical Plugs	Not Applicable
Gas Type	Propane

Gas Inlet Size	0.5 in
Gas Inlet Pressure Required	37 mBar
Gas Total BTUs	61416 BTU
Gas Consumption at Max Use Per Hour	1.29 m ³
Total Heat Input at Max Use	18 kW, 61418 BTU per hour
Energy Saving	No

ADDITIONAL SPECIFICATIONS

Control Type	Mechanical
Cooking Plate Finish Material Type	Cast Iron Plate
Exterior Finish Color	Stainless Steel
Exterior Trim Finish Color	Stainless Steel
High Altitude Kit Available	No
Number of Heating Zones	4
Number of Hot Top Burners	4

Number of Shelves	Not Applicable
Open or Sealed Burners	Sealed
Restaurant or Heavy Duty	Yes
Watts Per Element	4500
Cooking Equipment	Sealed Burner
BTUs Per Burner	4.5 KW

SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		4		Center	300 mm	300 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024





LINCAT SILVERLINK PROPANE GAS COUNTER-TOP BOILING TOP -4 BURNERS - W 600 MM - 18.0 KW

MODEL: HT6/P

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024








LINCAT SILVERLINK PROPANE GAS COUNTER-TOP BOILING TOP -4 BURNERS - W 600 MM - 18.0 KW

MODEL: HT6/P

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

