

MODEL: LD2



The Seal Heated Display with Gantry is perfect for when you want to attract customers with delicious dishes and offer a low budget solution to keeping pre-cooked food warm at the same time. The display is Ideal for numerous uses, including front of house in smaller hotels for breakfast goods, carveries in small pubs and restaurants, and anywhere you want to offer customers self service. Easily portable, it can be set up where needed making it ideal for permanent and mobile operations. The thermostatic control allows base heat to be adjusted to suit a variety of food products.

PRODUCT OPTIONS AND ACCESSORIES

• LDBM2 Bain Marie Adaptor for LD2 - inc. 2 x 2/3GN Dishes and Lids

PRODUCT FEATURES

- Minimum food holding temperature of 72°C
- Thermostatic control allows base heat to be adjusted to suit a variety of food products
- Aluminium surface for energy-efficient heat conduction
- An affordable choice for when overhead heat and illumination is not needed — for example where covered dishes are served
- Robust stainless steel construction hygienic and easy to clean







LINCAT SEAL COUNTER-TOP HEATED DISPLAY WITH GANTRY - 2 X 1/1 GN - W 790 MM - 1.5 KW

MODEL: LD2

WEIGHTS & DIMENSIONS	
Width	790 mil
Depth	538 mil
Height	560 mil
Weight	18.7 kg

SHIPPING DETAILS	
Ship Width	70.3 cm
Ship Depth	70.3 cm
Ship Height	88.3 cm
Ship Weight	20.57 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	6.5
Electrical Voltage	230 volts
Electrical Watts	1500
Electrical Phase	Single
Kilowatts	1.5 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Cord and Plug
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Dedicated Circuit Required	No
Energy Saving	No

ADDITIONAL SPECIFICATIONS	
Cart Style	Plated Meals and Pans
Control Type	Rotary Control Knob
Display Case Front Design Style	Open Front
Display Case Service Type	Back of House Service, Customer Self Service, Front of House Service
Display Case Type	Heated
Gastronorm Capacity	2 x GN1/1
Heated Base	Yes
Heating System	Electric

Legs or Casters	Not Applicable
Number of Doors	Not Applicable
Number of Shelf Positions	not_applicable
Number of Shelves	Not Applicable
Rack Type	Stainless
Shelf Depth	538 mm
Shelf Width	790 mm
Temperature Minimum	72 °C
Type of Lighting	Halogen

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024







MODEL: LD2


BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

