

/ **CONFECTIONERY SHOWCASE - COLOURBOND BASE**



CONFECTIONERY SHOWCASE - COLOURBOND BASE

Product Name: Confectionery Showcase (2 Tier)

- **Suitable for cake and confectionery.** An ideal showcase, which creates impulse sales.
- **Display compartment is constructed** with double layer hardened glass.
- **4 sides clear glasses with front curved glass** and internal lighting for excellent display.
- **Oversized coil and low velocity fan system** maintain high humidity and low temperature and product freshness.
- **Environmental friendly refrigerant** (CFC and HCFC Free) R134a





Confectionery Showcase (2 Tier)

Refrigeration/Showcase
Range/confectionery
showcase-2 Tier
(Black)-800x600.jpg

Description

Model - 2 Tier	CCS09SB13-2FB	CCS12SB13-2FB	CCS15SB13-2FB	CCS18SB13-2FB	CCS24SB13-2FB
Model - 3 Tier	CCS09SB13-3FB	CCS12SB13-3FB	CCS15SB13-3FB	CCS18SB13-3FB	CCS24SB13-3FB
Temperature°C (celsius)	+1 to +6	+1 to +6	+1 to +6	+1 to +6	+1 to +6
External Dimension (mm)	900 x 700 x 1350	1200 x 700 x 1350	1500 x 700 x 1350	1800 x 700 x 1350	2400 x 700 x 1350
Gross Volume (L)	316	439	560	682	926
Voltage/ Frequency (V/Hz)	230V / 1 / 50Hz	230V / 1 / 50Hz	230V / 1 / 50Hz	230V / 1 / 50Hz	230V / 1 / 50Hz
	220V / 1 / 60Hz	220V / 1 / 60Hz	220V / 1 / 60Hz	220V / 1 / 60Hz	220v / 1 / 60Hz
Cooling Capacity	646	792	1002	1346	1628
Wattage (W)	760 - 840	950 -1050	1045-1155	1330 - 1470	1615 - 1785
Ampere (A)	4.75 - 5.25	5.7- 6.3	5.7 - 6.3	7.6 - 8.4	9.0 - 10.0
Refrigerant	R134a	R134a	R134a	R134a	R404a

Model - 2 Tier	CCS09SB13-2FB	CCS12SB13-2FB	CCS15SB13-2FB	CCS18SB13-2FB	CCS24SB13-2FB
Defrost System	Forced Air Circulation	Forced Air Circulation	Forced Air Circulation	Forced Air Circulation	Forced Air Circulation
Weight (kg) - 2 Tier	144	190	236	282	328
- 3 Tier	161	202	242	289	334
Unit For 20ft Container	14	11	10	7	4
Unit For 40ft Container	30	24	22	16	8

2022 © Berjaya Steel Product Sdn. Bhd. (Co. No. 301440-W) | All Rights Reserved.